



Correct Coding Guide

**2023**

---

# Provider HCC Risk Adjusted Diagnoses with COVID-19 Updates

This reference is intended to provide the most frequent risk adjustable ICD-10-CM diagnosis codes for conditions used in the inpatient and outpatient settings. Please consider that most of the acute condition codes (designated with red type) should not be documented in the outpatient setting, but are more appropriate for the inpatient setting. It does not define a standard of care and should not substitute for an informed medical evaluation, or diagnosis and treatment performed by a licensed healthcare provider. HealthCare Partners, IPA does not warrant nor represent that the information contained herein is accurate or free from defects.


## Making Sense of ICD-10-CM

ICD-10 alphanumeric, each diagnosis consisting of 3-7 characters

- 1<sup>ST</sup> character is always a letter indicating organ/body system
- 2<sup>ND</sup> character is always numeric and refines the category
- 3<sup>RD</sup> – 6<sup>TH</sup> characters can be alpha or numeric, and indicate etiology/cause, anatomic location, disease/status severity
- 7<sup>TH</sup> character may be required for injuries and OB

For example:

I69.242 Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side



\* **Note: Acute care, hospital inpatient codes are designated in red. Most of the codes are not appropriate to document as active/current conditions in the outpatient setting.**

## COVID-19 Diagnosis

### Possible/Actual Exposure to COVID-19

<b>Z11.52</b>	Encounter for screening for COVID-19. This code will only be used if asymptomatic otherwise use the appropriate symptom code.
<b>Z03.818</b>	Encounter for observation for suspected exposure to other biological agents ruled out Encounter for observation for suspected exposure to other biological agents ruled out
<b>Z20.822</b>	Contact with and (suspected) exposure to COVID-19.

### COVID-19 signs and symptoms. Where definite diagnosis has not been established

<b>R50.9</b>	Fever Unspecified
<b>R53.83</b>	Other fatigue
<b>R05.0</b>	Cough. Acute=1, Subacute=2, Chronic=3, Unspecified=9.
<b>R06.02</b>	Shortness of breath

**Only Confirmed/Positive COVID-19**

<b>B97.29</b>	Other coronavirus as the cause of diseases classified elsewhere.
<b>U07.1</b>	COVID-19.
<b>J12.82</b>	Pneumonia due to coronavirus disease.
<b>M35.81</b>	Multisystem inflammatory syndrome. Code first COVID-19, U07.1; Code also if applicable exposure to SARS-CoV-2 infection (Z20.822) use additional codes for associated complications.
<b>M35.89</b>	Other specified systemic involvement of connective tissue.
<b>Z86.16</b>	Personal history of COVID-19.

**Post COVID-19 Only**

<b>U09.9</b>	Post COVID-19 condition, unspecified.
--------------	---------------------------------------

**COVID-19 Vaccination Status**

<b>Z28.310</b>	Unvaccinated for COVID-19. Effective 4/1/2022
<b>Z28.311</b>	Partially Vaccinated for COVID-19. Effective 4/1/2022

**Behavioral Health****Alcohol and Substance Abuse / Addiction**

<b>F10.20</b>	Alcohol dependence, uncomplicated
<b>F10.21</b>	Alcohol dependence, in remission
<b>F10.91</b>	Alcohol use, unspecified, in remission.
<b>F10.920</b>	Alcohol use, unspecified with intoxication, uncomplicated
<b>F10.929</b>	Alcohol use, unspecified with intoxication, unspecified
<b>F10.988</b>	Alcohol use, unspecified with other alcohol-induced disorder
<b>F11.10</b>	Opioid abuse, uncomplicated
<b>F11.11</b>	Opioid abuse, in remission
<b>F11.20</b>	Opioid dependence, uncomplicated
<b>F11.21</b>	Opioid dependence, in remission
<b>F11.91</b>	Opioid use, unspecified, in remission.
<b>F12.188</b>	Cannabis abuse with other cannabis-induced disorder
<b>F12.19</b>	Cannabis abuse with unspecified cannabis-induced disorder
<b>F12.20</b>	Cannabis dependence, uncomplicated
<b>F12.21</b>	Cannabis dependence, in remission
<b>F12.288</b>	Cannabis dependence with other cannabis-induced disorder
<b>F12.91</b>	Cannabis use, unspecified, in remission.

<b>F12.29</b>	Cannabis dependence with unspecified cannabis-induced disorder
<b>F12.988</b>	Cannabis use, unspecified with other cannabis-induced disorder
<b>F12.99</b>	Cannabis use, unspecified with unspecified cannabis-induced disorder
<b>Chronic Lifetime Conditions and Depression</b>	
<b>F20.0</b>	Paranoid schizophrenia
<b>F20.9</b>	Schizophrenia, unspecified
<b>F31.9</b>	Bipolar disorder, unspecified
<b>F33.0</b>	Major depressive disorder, recurrent, mild
<b>F33.1</b>	Major depressive disorder, recurrent, moderate
<b>F33.40</b>	Major depressive disorder, recurrent, in remission, unspecified
<b>F33.41</b>	Major depressive disorder, recurrent, in partial remission
<b>F33.42</b>	Major depressive disorder, recurrent, in full remission
<b>F33.9</b>	Major depressive disorder, recurrent, unspecified
<b>Cardiology / Circulatory System</b>	
<b>Arrhythmia</b>	
<b>I44.0</b>	Atrioventricular block, first degree
<b>I44.1</b>	Atrioventricular block, second degree
<b>I44.2</b>	<b>AV block, complete</b>
<b>I46.9</b>	<b>Cardiac arrest, cause unspecified</b>
<b>I47.1</b>	Supraventricular tachycardia
<b>I47.20</b>	Ventricular tachycardia, unspecified.
<b>I48.0</b>	Paroxysmal atrial fibrillation
<b>I48.11</b>	Persistent atrial fibrillation
<b>I48.92</b>	Unspecified atrial flutter
<b>I49.01</b>	<b>Ventricular fibrillation</b>
<b>I49.02</b>	<b>Ventricular flutter</b>
<b>I49.5</b>	Sick sinus syndrome
<b>CAD</b>	
<b>I20.0</b>	<b>Unstable angina</b>
<b>I20.1</b>	Angina pectoris with documented spasm (Prinzmetal's)
<b>I20.2</b>	Refractory angina pectoris.
<b>I20.8</b>	Other forms of angina pectoris
<b>I20.9</b>	Angina pectoris, unspecified
<b>I21.3</b>	<b>ST elevation (STEMI) myocardial infarction, unspecified site</b>
<b>I21.4</b>	<b>Non-ST elevation (NSTEMI) myocardial infarction</b>

<b>15A</b>	<b>Non-ischemic myocardial injury (non-traumatic)</b>
I23.7	Postinfarction angina
<b>I25.110</b>	<b>Atherosclerotic heart disease of native coronary artery with unstable angina pectoris</b>
I25.112	Atherosclerotic heart disease of native coronary artery with refractory angina pectoris.
I25.119	Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris (I25.10 +I20.9)
<b>Cardiomyopathy / Heart Failure</b>	
I11.0	Hypertensive heart disease with heart failure
I27.0	Primary pulmonary hypertension
I27.20	Pulmonary hypertension, unspecified
I27.81	Cor pulmonale (chronic)
I42.9	Cardiomyopathy, unspecified
I50.20	Unspecified systolic (congestive) heart failure
<b>I50.21</b>	<b>Acute systolic (congestive) heart failure</b>
I50.22	Chronic systolic (congestive) heart failure
<b>I50.23</b>	<b>Acute on chronic systolic (congestive) heart failure</b>
I50.30	Unspecified diastolic (congestive) heart failure
<b>I50.31</b>	<b>Acute diastolic (congestive) heart failure</b>
I50.32	Chronic diastolic (congestive) heart failure
<b>I50.33</b>	<b>Acute on chronic diastolic (congestive) heart failure</b>
I50.9	Heart failure, unspecified
<b>Circulatory</b>	
<b>I26.99</b>	<b>Other pulmonary embolism without acute cor pulmonale</b>
I70.0	Atherosclerosis of aorta
<b>For <input type="radio"/> Below, R = 1, L = 2, Bilateral = 3</b>	
I70.20 <input type="radio"/>	Atherosclerosis, extremities
I70.239	Atherosclerosis of native arteries of right leg with ulceration of unspecified site
I70.249	Atherosclerosis of native arteries of left leg with ulceration of unspecified site
I71.20	Thoracic aortic aneurysm, without rupture, unspecified.
I71.40	Abdominal aortic aneurysm, without rupture, unspecified.
I73.9	Peripheral vascular disease, unspecified
I77.1	Stricture of artery
<b>I82.40 <input type="radio"/></b>	<b>Acute DVT lower extremities, unspecified vein</b>
<b>I82.62 <input type="radio"/></b>	<b>Acute DVT upper extremities</b>

<b>I96</b>	<b>Gangrene, not elsewhere classified</b>
<b>M31.6</b>	Other giant cell arteritis
<b>R57.0</b>	<b>Cardiogenic shock</b>
<b>R57.1</b>	<b>Hypovolemic shock</b>
<b>R57.8</b>	<b>Other shock</b>

## Dermatology

### Chronic Ulcer of Skin, Decubitus

<b>L89.150</b>	Pressure ulcer of sacral region, unstageable
<b>L89.152</b>	Pressure ulcer of sacral region, stage 2
<b>L89.153</b>	Pressure ulcer of sacral region, stage 3
<b>L89.154</b>	Pressure ulcer of sacral region, stage 4
<b>L89.200</b>	Pressure ulcer of unspecified hip, unstageable
<b>L89.202</b>	Pressure ulcer of hip region, stage 2
<b>L89.203</b>	Pressure ulcer of hip region, stage 3
<b>L89.204</b>	Pressure ulcer of hip region, stage 4

For  code stages 1, 2, 3, 4, or 0 = unstageable, 9 = unspecified

<b>L89.31</b> <input type="radio"/>	Pressure ulcer of Right buttock
<b>L89.32</b> <input type="radio"/>	Pressure ulcer of Left buttock
<b>L89.61</b> <input type="radio"/>	Pressure ulcer of Right heel
<b>L89.62</b> <input type="radio"/>	Pressure ulcer of Left heel

## Endocrine and Nutrition

<b>E03.9</b>	Hypothyroidism, unspecified
<b>E05.90</b>	Thyrotoxicosis, unspecified without thyrotoxic crisis or storm
<b>E05.91</b>	Thyrotoxicosis, unspecified with thyrotoxic crisis or storm
<b>E21.3</b>	Hyperparathyroidism, unspecified
<b>E46</b>	Unspecified protein calorie malnutrition
<b>E66.01</b>	Morbid (severe) obesity due to excess calories
<b>E89.0</b>	Postprocedural hypothyroidism
<b>Z68.35</b>	Body mass index (BMI) 35.0-35.9, adult
<b>Z68.36</b>	Body mass index (BMI) 36.0-36.9, adult
<b>Z68.37</b>	Body mass index (BMI) 37.0-37.9, adult
<b>Z68.38</b>	Body mass index (BMI) 38.0-38.9, adult
<b>Z68.39</b>	Body mass index (BMI) 39.0-39.9, adult
<b>Z68.41</b>	Body mass index (BMI) 40.0-44.9, adult
<b>Z68.42</b>	Body mass index (BMI) 45.0-49.9, adult
<b>Z68.43</b>	Body mass index (BMI) 50-59.9, adult

Z68.44	Body mass index (BMI) 60.0-69.9, adult
Z68.45	Body mass index (BMI) 70 or greater, adult
Diabetes with Renal or Peripheral Circulatory Manifestations	
E10.10	Type 1 diabetes mellitus with ketoacidosis without coma
E10.11	Type 1 diabetes mellitus with ketoacidosis with coma
E11.00	Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)
E11.01	Type 2 diabetes mellitus with hyperosmolarity with coma
E11.9	Type 2 diabetes mellitus without complications
E11.22	Type 2 diabetes mellitus <b>with diabetic chronic kidney disease, + (N18.1 -N18.6) to identify stage of CKD</b>
E11.40	Type 2 diabetes mellitus with diabetic neuropathy, unspecified
E11.51	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene
E11.59	Type 2 diabetes mellitus with <b>other</b> circulatory complications ( <b>use additional code to identify "other" complication</b> )
E11.621	Type 2 diabetes mellitus with foot ulcer, <b>use additional code to identify site of ulcer (L97.4, L97.5-)</b>
E11.641	Type 2 diabetes mellitus with hypoglycemia with coma
E11.65	Type 2 diabetes mellitus with hyperglycemia
E11.69	Type 2 diabetes mellitus with <b>other</b> specified complications ( <b>use additional code to identify "other" complication</b> )
Endocrine Non-diabetic	
E21.3	Hyperparathyroidism, unspecified
E24.2	Cushing's drug -induced
E27.8	Adrenal cyst or nodule
E46	Protein-calorie malnutrition, NOS
E66.01	Morbid (severe) obesity due to excess calories (BMI $\geq$ 40)
R64	Cachexia
Gastroenterology	
B18.1	Chronic viral hepatitis B without delta-agent
B18.2	Chronic viral hepatitis C
I85.00	Esophageal varices without bleeding
I85.01	Esophageal varices with bleeding
K50.919	Crohn's disease, unspecified, with unspecified complications
K51.00	Ulcerative (chronic) pancolitis without complications
K51.919	Ulcerative colitis, unspecified, with unspecified complications

<b>K55.019</b>	Acute (reversible) ischemia of small intestine, extent unspecified
<b>K55.039</b>	Acute (reversible) ischemia of large intestine, extent unspecified
<b>K55.9</b>	Ischemic colitis, unspecified
<b>K56.0</b>	Ileus, paralytic
<b>K56.41</b>	Fecal impaction
<b>K56.609</b>	Unspecified intestinal obstruction
<b>K58.0</b>	Irritable bowel syndrome with diarrhea
<b>K58.1</b>	Irritable bowel syndrome with constipation
<b>K58.2</b>	Mixed irritable bowel syndrome
<b>K58.9</b>	Irritable bowel syndrome without diarrhea
<b>K63.1</b>	Perforated intestine (nontraumatic)
<b>K65.0</b>	Peritonitis, acute
<b>K70.30</b>	Alcoholic cirrhosis of liver without ascites
<b>K70.31</b>	Alcoholic cirrhosis of liver with ascites
<b>K72.9</b> ○	Hepatic failure (encephalopathy) 0 = without coma, 1 = with coma
<b>K74.60</b>	Unspecified cirrhosis of liver
<b>K75.4</b>	Autoimmune hepatitis
<b>K76.82</b>	Hepatic Encephalopathy.
<b>K90.0</b>	Celiac disease

## Hematology

For ○ Below 0 = not in remission, 1 = remission, 2 = relapse

<b>C91.1</b> ○	Chronic lymphocytic leukemia (CLL)
<b>C92.0</b> ○	Acute myeloblastic leukemia (AML)
<b>C92.1</b> ○	Chronic myeloid leukemia (CML)
<b>D45</b>	Polycythemia vera
<b>D46.9</b>	Myelodysplastic syndrome, unspecified
<b>D47.3</b>	Essential (hemorrhagic) thrombocytopenia
<b>D50.0</b>	Iron deficiency anemia secondary to blood loss (chronic)
<b>D50.9</b>	Iron deficiency anemia, unspecified
<b>D51.0</b>	Pernicious (congenital) anemia
<b>D58.9</b>	Hereditary hemolytic anemia, unspecified
<b>D59.0</b>	Drug-induced autoimmune hemolytic anemia
<b>D59.30</b>	Hemolytic-uremic syndrome.
<b>D61.810</b>	Antineoplastic chemotherapy induced pancytopenia
<b>D61.811</b>	Other drug-induced pancytopenia



D61.818	Other pancytopenia
<b>D65</b>	<b>Disseminated intravascular coagulation (DIC)</b>
D68.00	Von Willebrand disease, unspecified.
D68.312	Antiphospholipid antibody with hemorrhagic disorder
D68.4	Acquired coagulation factor deficiency
D68.61	Antiphospholipid syndrome
D69.2	Senile purpura
D69.3	Immune thrombocytopenic purpura
D69.6	Thrombocytopenia, unspecified
D70.1	Agranulocytosis secondary to cancer chemotherapy
D70.2	Other drug-induced agranulocytosis
D70.3	Neutropenia due to infection
D70.4	Cyclic neutropenia
D70.8	Other neutropenia
D70.9	Neutropenia, unspecified
D72.819	Decreased white blood cell count, unspecified (leukocytopenia, unspecified)
D72.829	Elevated white blood cell count, unspecified (leukocytosis, unspecified)
D75.829	Heparin-induced thrombocytopenia, unspecified (HIT).
D84.81	Immunodeficiency due to conditions classified elsewhere. Specify underlying conditions such as: diabetes mellitus (E08-E13), malignant neoplasms (C00-C96), chromosomal abnormalities (Q90-Q99). Excludes: HIV (B20, Z21), and certain disorders involving the immune mechanism (D80-D83, D84.0, D84.1, D84.9).
D84.821	Immunodeficiency due to drugs. Immunodeficiency due to (current or past) medication. <b>Use additional code</b> for adverse effect if applicable, to identify adverse effect of drug (T36-T50 with fifth or six character 5). <b>Use additional code</b> , if applicable, for associated long term (current) drug therapy drug or medication such as: long term (current) drug therapy systemic steroids (Z79.52), other long term (current) drug therapy (Z79.899).
D84.822	Immunodeficiency due to external causes. Code also, if applicable, radiological procedure and radiotherapy (Y84.2) Code also, if applicable, radiological procedure and radiotherapy (Y84.2). <b>Use additional code</b> for external cause such as: exposure to ionizing radiation (W88.XXXX).

## Infectious Disease

Requirement: Document any manifestation of the disease process by documenting along with the cause of the infection

<b>A40.3</b>	Sepsis due to streptococcus pneumoniae
<b>A41.01</b>	Sepsis due to methicillin susceptible staphylococcus aureus
<b>A41.02</b>	Sepsis due to MRSA
<b>A41.51</b>	Sepsis due to Escherichia coli (E.coli)
<b>A41.59</b>	Other Gram-negative sepsis
<b>A41.9</b>	Sepsis, unspecified organism
<b>B20</b>	Human immunodeficiency virus (HIV) disease
<b>Z21</b>	Asymptomatic human immunodeficiency virus [HIV] infection status
<b>B37.81</b>	Candidal esophagitis
<b>B59</b>	Pneumocystosis

For ○○ Below, R = 1, L = 2, Bilateral = 3 + Site

<b>M86.0 ○○</b>	Osteomyelitis, acute
<b>M86.9</b>	Osteomyelitis, unspecified
<b>R65.10</b>	Systemic inflammatory response syndrome (SIRS) of non-infectious origin without acute organ dysfunction
<b>R65.11</b>	Systemic inflammatory response syndrome (SIRS) of non-infectious origin with acute organ dysfunction
<b>R65.20</b>	Severe sepsis without septic shock
<b>R65.21</b>	Severe sepsis with septic shock

## Nephrology

<b>N18.30</b>	Chronic kidney disease, stage 3 (moderate), Unspecified.
<b>N18.31</b>	Chronic kidney disease, stage 3a (moderate).
<b>N18.32</b>	Chronic kidney disease, stage 3b (moderate).
<b>N18.4</b>	Chronic kidney disease, Stage 4 (severe)
<b>N18.5</b>	Chronic kidney disease, Stage 5
<b>N18.6</b>	ESRD "Use additional code to identify dialysis status" (Z99.2)
<b>Z99.2</b>	Dependence on renal dialysis

## Neurology

<b>F01.50</b>	Vascular dementia without behavioral disturbance
<b>F01.518</b>	Vascular dementia, unspecified severity, with other behavioral disturbance.
<b>F02.80</b>	Dementia in other diseases classified elsewhere without behavioral disturbance

<b>F02.811</b>	Dementia in other diseases classified elsewhere, unspecified severity, with agitation.
<b>F03.90</b>	Unspecified dementia without behavioral disturbance
<b>F03.911</b>	Unspecified dementia, unspecified severity, with agitation.
<b>F04</b>	Amnesic disorder due to known physiological condition
<b>G20</b>	Parkinson's disease
<b>G30.0</b>	Alzheimer's disease with early onset
<b>G30.1</b>	Alzheimer's disease with late onset
<b>G30.9</b>	Alzheimer's disease, unspecified
<b>G31.2</b>	Degeneration of nervous system due to alcohol
<b>G31.83</b>	Neurocognitive Disorder with Lewy Bodies
<b>G31.9</b>	Degenerative disease of nervous system, unspecified
<b>G35</b>	Multiple sclerosis
<b>G40.901</b>	Epilepsy, unspecified, not intractable with status epilepticus
<b>G40.909</b>	Epilepsy, unspecified, not intractable without status epilepticus
<b>G62.1</b>	Alcoholic polyneuropathy
<b>G81.90</b>	Hemiplegia, unspecified affecting unspecified side
<b>G82.20</b>	Paraplegia, unspecified
<b>G82.21</b>	Paraplegia, complete
<b>G82.22</b>	Paraplegia, incomplete
<b>G83.10</b>	Monoplegia of lower limb affecting unspecified side
<b>G91.9</b>	Hydrocephalus, unspecified
<b>G93.1</b>	Anoxic brain damage, not elsewhere classified
<b>G95.20</b>	<b>Cord compression, unspecified</b>
<b>G95.9</b>	Myelopathy, NOS
<b>I63.139</b>	<b>Cerebral infarction due to embolism of unspecified carotid artery</b>
<b>I63.9</b>	<b>Cerebral infarction, unspecified</b>
<b>I69.33</b> ○	Monoplegia of upper limb following cerebral infarction
<b>I69.34</b> ○	Monoplegia of lower limb following cerebral infarction
<b>I69.35</b> ○	Hemiplegia and hemiparesis following cerebral infarction
<b>R53.2</b>	Functional quadriplegia
<b>R56.9</b>	Unspecified convulsions
<b>For ○ Below, A = initial visit, D = subsequent visit, S = sequela</b>	
<b>T85.01X</b> ○	Breakdown (mechanical) of ventricular intracranial shunt (VP shunt)

## Oncology

### Breast

<b>C50.91</b> ○	Malignant neoplasm of breast of unspecified site, female R = 1, L = 2
-----------------	--

### Colon

<b>C18.9</b>	Malignant neoplasm of colon, unspecified
--------------	--

### Hodgkin's Disease

<b>C81.90</b>	Hodgkin lymphoma, unspecified, unspecified site
---------------	---

### Lung

<b>C34.9</b> ○	Malignant neoplasm of unspecified part of bronchus or lung. <b>Unspecified = 0, R=1, L=2</b>
----------------	--

### Lymphoma/Myelomas

<b>C85.90</b>	Non-Hodgkin lymphoma, unspecified, unspecified site
---------------	---

<b>C90.00</b>	Multiple myeloma not having achieved remission
---------------	--

<b>C90.01</b>	Multiple myeloma in remission
---------------	-------------------------------

<b>C90.02</b>	Multiple myeloma in relapse
---------------	-----------------------------

### Malignant Neoplasm

<b>C16.9</b>	Malignant neoplasm of stomach, unspecified (if in remission, look up appropriate codes)
--------------	--

<b>C22.8</b>	Malignant neoplasm of liver, primary, unspecified as to type
--------------	---

<b>C25.9</b>	Malignant neoplasm of pancreas, unspecified (if in remission, look up appropriate codes)
--------------	---

<b>C43.9</b>	Malignant melanoma of skin, unspecified
--------------	---

<b>C61</b>	Malignant neoplasm of prostate (if in remission, look up appropriate codes)
------------	--

<b>C64</b> ○	Malignant neoplasm of kidney, except renal pelvis R = 1, L = 2
--------------	---

<b>C67.9</b>	Malignant neoplasm of bladder, unspecified
--------------	--

<b>C71.9</b>	Malignant neoplasm of brain, unspecified (if in remission, look up appropriate codes)
--------------	--

### Site of Metastases

<b>C77.9</b>	Mets to lymph node, unspecified
--------------	---------------------------------

<b>C78.0</b> ○	Mets to lung R = 1, L = 2
----------------	---------------------------

<b>C78.2</b>	Secondary malignant neoplasm of pleura
--------------	--

<b>C78.6</b>	Secondary malignant neoplasm of retroperitoneum and peritoneum
--------------	---

<b>C78.7</b>	Secondary malignant neoplasm of liver and intrahepatic bile duct
--------------	---

<b>C79.31</b>	Secondary malignant neoplasm of brain
---------------	---------------------------------------

<b>C79.51</b>	Secondary malignant neoplasm of bone
---------------	--------------------------------------

Podiatry	
<b>M86.179</b>	Other acute osteomyelitis, unspecified ankle and foot
<b>M86.60</b>	Other chronic osteomyelitis, unspecified site
Pulmonary	
<b>I26.99</b>	<b>Pulmonary embolism</b>
<b>I27.0</b>	Primary pulmonary hypertension
<b>I27.20</b>	Pulmonary hypertension, unspecified
<b>I27.21</b>	Secondary pulmonary arterial hypertension
<b>J13</b>	<b>Pneumonia due to streptococcus pneumoniae</b>
<b>J15.0</b>	<b>Pneumonia due to Klebsiella pneumoniae</b>
<b>J15.1</b>	<b>Pneumonia due to Pseudomonas</b>
<b>J15.212</b>	<b>Pneumonia due to MRSA</b>
<b>J18.1</b>	<b>Lobar pneumonia, unspecified organism</b>
<b>J42</b>	Unspecified chronic bronchitis
<b>J44.1</b>	<b>Chronic obstructive pulmonary disease with (acute) exacerbation</b>
<b>J44.9</b>	Chronic obstructive pulmonary disease, unspecified
<b>J47.1</b>	Bronchiectasis with (acute) exacerbation
<b>J67.9</b>	<b>Hypersensitivity pneumonitis due to unspecified organic dust</b>
<b>J69.0</b>	<b>Pneumonitis due to inhalation of food and vomit</b>
<b>J80</b>	<b>Acute respiratory distress syndrome (ARDS)</b>
<b>J81.0</b>	<b>Acute pulmonary edema</b>
<b>J82.81</b>	Chronic eosinophilic pneumonia.
<b>J82.89</b>	Other pulmonary eosinophilia, not elsewhere classified: Allergic pneumonia, Loffler's pneumonia, Tropical (pulmonary) eosinophilia.
<b>J84.10</b>	<b>Pulmonary fibrosis, unspecified.</b>
<b>J84.10</b>	Pulmonary fibrosis, unspecified
<b>J84.114</b>	<b>Acute interstitial pneumonitis</b>
<b>J84.116</b>	<b>Cryptogenic organizing pneumonia</b>
<b>J84.17</b>	Other interstitial pulmonary diseases with fibrosis in disease classified elsewhere
<b>J84.89</b>	Other specified interstitial pulmonary diseases
<b>J84.9</b>	Interstitial pulmonary disease, unspecified
<b>J95.821</b>	<b>Acute postprocedural respiratory failure</b>
<b>J95.851</b>	<b>Ventilator-associated pneumonia</b>
<b>J96.00</b>	<b>Acute respiratory failure, unspecified whether with hypoxia or hypercapnia</b>
<b>J96.01</b>	<b>Acute respiratory failure with hypoxia</b>

<b>J96.02</b>	<b>Acute respiratory failure with hypercapnia</b>
<b>J96.10</b>	Chronic respiratory failure, unspecified whether with hypoxia or hypercapnia
<b>J96.11</b>	Chronic respiratory failure with hypoxia
<b>J96.12</b>	Chronic respiratory failure with hypercapnia
<b>R09.2</b>	<b>Respiratory arrest</b>
<b>Z93.0</b>	Tracheostomy status
<b>Z99.11</b>	<b>Mechanical ventilator dependence</b>
<b>Chronic Obstructive Pulmonary Disease and Asthma</b>	
<b>J43.9</b>	Emphysema, unspecified
<b>J45.90</b> ○	Asthma, 9 = uncomplicated, 1 = acute exacerbation
<b>Rheumatology</b>	
<b>M06.9</b>	Rheumatoid arthritis, unspecified
<b>M32.9</b>	Systemic lupus erythematosus, unspecified
<b>M35.3</b>	Polymyalgia rheumatica
<b>Urology</b>	
<b>For ○ Below, A = initial visit, D = subsequent visit, S = sequela</b>	
<b>T83.038</b> ○	Leakage of other urinary catheter
<b>T83.590</b> ○	<b>Infection and inflammatory reaction due to prosthetic device, implant and graft in urinary system</b>
<b>T83.83X</b> ○	<b>Hemorrhage due to genitourinary prosthetic devices, implants and grafts</b>
<b>T83.9XX</b> ○	Unspecified complication of genitourinary prosthetic device, implant and graft
<b>Status Codes</b>	
<b>Amputation Status</b>	
<b>Z89.419</b>	Acquired absence of unspecified great toe
<b>Z89.429</b>	Acquired absence of other toe(s), unspecified side
<b>Z89.439</b>	Acquired absence of unspecified foot
<b>Z89.449</b>	Acquired absence of unspecified ankle
<b>Z89.519</b>	Acquired absence of unspecified leg below knee
<b>Z89.619</b>	Acquired absence of unspecified leg above knee
<b>Ostomies</b>	
<b>Z93.0</b>	Tracheostomy status
<b>Z93.1</b>	Gastrostomy status
<b>Z93.2</b>	Ileostomy status
<b>Z93.3</b>	Colostomy status
<b>Z93.4</b>	Other artificial openings of gastrointestinal tract status
<b>Z93.50</b>	Unspecified cystostomy status
<b>Z93.6</b>	Other artificial openings of urinary tract status

## Other Status Codes

<b>Z21</b>	Asymptomatic human immunodeficiency virus [HIV] infection status
<b>Z79.4</b>	Long term (current) use of insulin
<b>Z94.4</b>	Liver transplant status
<b>Z99.11</b>	<b>Dependence on respirator [ventilator] status</b>
<b>Z99.2</b>	Dependence on renal dialysis
<b>Z99.3</b>	Dependence on wheelchair
<b>Z99.81</b>	Dependence on supplemental oxygen
<b>Z99.89</b>	Dependence on other enabling machines and devices



501 Franklin Avenue, Suite 300  
Garden City, NY 11530  
(800) 877 -7587 | [HealthCarePartnersNY.com](http://HealthCarePartnersNY.com)