

HEDIS® Coding Guide

Updated with March 2025 Value Set

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA)

| FREQ | UENTLY USED CODES |
|----------|---|
| Annual \ | Wellness Visit |
| AWV | HCPCS: G0438, G0439 (Medicare only) or CPT : 99385-99387, 99395-99397 |
| Telepho | ne Calls for Patient Management and Virtual Check-In |
| 98008 | Synchronous audio-only visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination, straightforward medical decision making, and more than 10 minutes of medical discussion. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded. |
| 98009 | Synchronous audio-only visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination, low medical decision making, and more than 10 minutes of medical discussion. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded. |
| 98014 | Synchronous audio-only visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination, moderate medical decision making, and more than 10 minutes of medical discussion. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded. |
| | Synchronous audio-only visit for the evaluation and management |

of an established patient, which requires a medically appropriate history and/or examination, high medical decision making, and more than 10 minutes of medical discussion. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.

| PREVENTIVE VISITS | |
|-------------------|--|
| Preventi | ve Medicine Visits (AAP, W30, WCV - based on age) |
| 99461 | CPT: Initial care, per day, for evaluation and management of normal newborn infant seen in other than hospital or birthing center |
| 99381 | CPT: Initial comprehensive preventive medicine evaluation and management, new pt (age younger than 1 year) |
| 99382 | CPT: Initial comprehensive preventive medicine evaluation and management, new pt (1-4 yrs) |
| 99383 | CPT: Initial comprehensive preventive medicine evaluation and management, new pt (5 - 11 yrs) |
| 99384 | CPT: Initial comprehensive preventive medicine evaluation and management, new pt (12 - 17 yrs) |
| 99385 | CPT: Initial comprehensive preventive medicine evaluation and management, new pt (18-39 yrs) |
| 99386 | CPT: Initial comprehensive preventive medicine evaluation and management, new pt (40-64 yrs) |
| 99387 | CPT: Initial comprehensive preventive medicine evaluation and management, new pt (65 and older) |

| 99391 | CPT: Periodic comprehensive preventive medicine reevaluation and management, est pt (age younger than 1 year) |
|----------|---|
| 99392 | CPT: Periodic comprehensive preventive medicine reevaluation and management, est pt (1-4 yrs) |
| 99393 | CPT: Periodic comprehensive preventive medicine reevaluation and management, est pt (5-11 yrs) |
| 99394 | CPT: Periodic comprehensive preventive medicine reevaluation and management, est pt (12-17 yrs) |
| 99395 | CPT: Periodic comprehensive preventive medicine reevaluation and management, est pt (18-39 yrs) |
| 99396 | CPT: Periodic comprehensive preventive medicine reevaluation and management, est pt (40 - 64 yrs) |
| 99397 | CPT: Periodic comprehensive preventive medicine reevaluation and management, est pt (65 and older) |
| 99461 | CPT: Initial care, per day, for evaluation and management of normal newborn infant seen in other than hospital or birthing center |
| Z00.00 | ICD 10: Encounter for general adult medical examination without abnormal findings |
| Z00.01 | ICD 10: Encounter for general adult medical examination with abnormal findings |
| Z00.110 | ICD 10: Health examination for newborn under 8 days old |
| Z00.111 | ICD 10: Health examination for newborn 8 to 28 days old |
| Z00.121 | ICD 10: Encounter for routine child health examination with abnormal findings |
| Z00.129 | ICD 10: Encounter for routine child health examination without abnormal findings |
| Z00.00 | ICD 10: Encounter for general adult medical examination without abnormal findings |
| Z00.01 | ICD 10: Encounter for general adult medical examination with abnormal findings |
| Counse | ling Services |
| 99401 | CPT: Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (15 min) |
| Risk Fac | ctor and Behavioral Change Modification |
| 99402 | CPT: Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (30 min) |
| 99403 | CPT: Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (45 min) |
| 99411 | CPT: Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (30 min) |
| 99412 | CPT: Preventive medicine counseling and/or risk factor reduction intervention(s) provided to individuals in a group setting (60 min) |

| Outpatie | nt E&M (AAP) |
|----------|--|
| 99202 | CPT: Office or other outpatient visit, new pt (15-29 min) |
| 99203 | CPT: Office or other outpatient visit, new pt (30-44 min) |
| 99204 | CPT: Office or other outpatient visit, new pt (45-59 min) |
| 99205 | CPT: Office or other outpatient visit, new pt (60-74 min) |
| 99211 | CPT: Office or other outpatient visit, est pt that may not require physician or other Healthcare professional |
| 99212 | CPT: Office or other outpatient visit, est pt (10-19 min) |
| 99213 | CPT: Office or other outpatient visit, est pt (20-29 min) |
| 99214 | CPT: Office or other outpatient visit, est pt (30-39 min) |
| 99215 | CPT: Office or other outpatient visit, est pt (40-54 min) |
| Outpatie | nt Home E&M (AAP) |
| 99341 | CPT: E&M - Home visit, new pt (20 min) |
| 99342 | CPT: E&M - Home visit, new pt (30 min) |
| 99344 | CPT: E&M - Home visit, new pt (60 min) |
| 99345 | CPT: E&M - Home visit, new pt (75 min) |
| 99347 | CPT: E&M - Home visit, est pt (15 min) |
| 99348 | CPT: E&M - Home visit, est pt (25 min) |
| 99349 | CPT: E&M - Home visit, est pt (40 min) |
| 99350 | CPT: E&M - Home visit, est pt (60 min) |
| PREVE | ENTIVE SCREENINGS |
| | Assessment and Counseling for Nutrition and Physical Activity ren/Adolescents (WCC) |
| BMI Perd | centile - Pediatric (WCC) |

BMI Percentile - Pediatric (WCC)

| 3008F | CPT II: Body Mass Index (BMI), documented - use with ICD 10 code |
|-----------|---|
| Z68.51 | ICD 10: BMI pediatric, less than 5th percentile for age |
| Z68.52 | ICD 10: BMI pediatric, 5th percentile to less than 85th percentile for age |
| Z68.53 | ICD 10: BMI pediatric, 85th percentile to less than 95th percentile for age |
| Z68.54 | ICD 10: BMI pediatric, greater than or equal to 95th percentile for age |
| Nutrition | Counseling (WCC) |
| Z71.3 | ICD 10: Dietary counseling and surveillance |
| 97802 | CPT: Medical nutrition therapy; initial assessment and intervention, individual, face-to-face with patient, each 15 min |
| 97803 | CPT: Medical nutrition therapy, re-assessment and intervention, individual, face-to-face with the patient, each 15 min |
| 97804 | CPT: Medical nutrition therapy; group (2 or more individual(s), each 30 minutes |
| | |

| | 1 (1100) |
|----------|---|
| Physical | Activity Counseling (WCC) |
| G0447 | HCPCS: Face-to-face behavioral counseling for obesity, 15 minutes |
| Z02.5 | ICD 10: Encounter for examination for participation in sport |
| Z71.82 | ICD 10: Exercise counseling |
| Breast C | ancer Screening (BCS) |
| | CPT II: Screening mammography results documented and |
| 3014F | reviewed (for reference only; not in HEDIS value set) |
| 77065 | CPT: Diagnostic mammography, including computer- aided detection (CAD) when performed; unilateral |
| 77066 | CPT: Diagnostic mammography, including computer- aided detection (CAD) when performed; bilateral |
| 77067 | CPT: Screening mammography, bilateral (2-view study of each breast), including computer-aided detection (CAD) when performed |
| Z90.11 | ICD 10: Acquired absence of right breast and nipple |
| Z90.12 | ICD 10: Acquired absence of left breast and nipple |
| Z90.13 | ICD 10: Acquired absence of bilateral breasts and nipples |
| Care for | the Older Adults (COA) |
| | edication Review (both codes required) |
| 1159F | CPT II: Medication list documented in medical record |
| 1160F | CPT II: Review of all medications by a prescribing practitioner or clinical pharmacist (such as prescriptions, OTCs, herbal therapies and supplements) documented in the medical record |
| COA - Fu | inctional Status Review |
| 1170F | CPT II: Functional status assessed |
| Advance | ed Care Planning (ACP) |
| 1123F | CPT II: Advance Care Planning discussed and documented advance care plan or surrogate decision maker documented in the medical record (DEM) (GER, Pall Cr) |
| 1124F | CPT II: Advance Care Planning discussed and documented in the medical record, patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan (DEM) (GER, Pall Cr) |
| 1157F | CPT II: Advance care plan or similar legal document present in the medical record |
| 1158F | CPT II: Advance care planning discussion documented in the medical record |
| Z66 | ICD 10: Do not resuscitate |
| 99497 | CPT: Advance care planning including explanation and discussion of advance directives and completion of such forms; first 30 minutes, face-to-face with the patient, family member(s), and/or surrogate |
| S0257 | HCPCS: Counseling and discussion regarding advance directives or end of life care planning and decisions, with patient and/or surrogate (list separately in addition to code for appropriate evaluation and management service) |

| Controlling High Blood Pressure (CBP) | |
|---------------------------------------|--|
| Systolic | |
| 3074F | CPT II: Most recent systolic blood pressure < 130 mm Hg |
| 3075F | CPT II: Most recent systolic blood pressure 130-139 mm Hg |
| 3077F | CPT II: Most recent systolic blood pressure ≥ 140 mm Hg |
| Diastolio | |
| 3078F | CPT II: Most recent diastolic blood pressure < 80 mm Hg |
| 3079F | CPT II: Most recent diastolic blood pressure 80-89 mm Hg |
| 3080F | CPT II: Most recent diastolic blood pressure ≥ to 90 mm |
| Cervical | Cancer Screening (CCS) |
| Cervical | Cytology |
| G0144 | HCPCS: Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system, under physician supervision |
| G0145 | HCPCS: Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system and manual rescreening under physician supervision |
| 88164 | CPT: Cytopathology, slides, cervical or vaginal (the Bethesda System); manual screening under physician supervision |
| 88165 | CPT: Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and rescreening under physician supervision |
| 88166 | CPT: Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and computer- assisted rescreening under physician supervision |
| 88167 | CPT: Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and computer- assisted rescreening using cell selection and review under physician supervision |
| 88174 | CPT: Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; screening by automated system, under physician supervision |
| 88175 | CPT: Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with screening by automated system and manual rescreening or review, under physician supervision |
| HPV | |
| 87624 | CPT: Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high-risk types (eg, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68) |
| 87625 | CPT: Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed |

| Chlamy | dia Screening in Women (CHL) |
|----------|---|
| 87110 | CPT: Culture, chlamydia, any source |
| 87270 | CPT: Infectious agent antigen detection by immunofluorescent technique; Chlamydia trachomatis |
| 87320 | CPT: Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Chlamydia trachomatis |
| 87490 | CPT: Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, direct probe technique |
| 87491 | CPT: Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique |
| 87492 | CPT: Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, quantification |
| 87810 | CPT: Infectious agent antigen detection by immunoassay with direct optical observation; Chlamydia trachomatis |
| Colorec | tal Cancer Screening (COL) |
| Colorec | tal Cancer Screening |
| 3017F | CPT II: Colorectal cancer screening results documented and reviewed (for reference only; not in HEDIS value set) |
| Fecal O | ccult Blood Test (FOBT) |
| G0328 | HCPCS: Colorectal cancer screening; fecal occult blood test, immunoassay, 1-3 simultaneous determinations |
| 82270 | CPT: Blood, occult, by peroxidase activity (eg, guaiac.) qualitative; consecutive collected specimens with single determination, (ie, patient was provided 3 cards or single triple card for consecutive collection) |
| 82274 | CPT: Blood, occult, by fecal hemoglobin determination by immunoassay, qualitative, feces, 1-3 simultaneous determinations |
| Flexible | Sigmoidoscopy Procedures |
| 45330 | CPT: Sigmoidoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure) |
| 45335 | CPT: Sigmoidoscopy, flexible; with directed submucosal injection(s), any substance |
| 45337 | CPT: Sigmoidoscopy, flexible; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed |
| 45338 | CPT: Sigmoidoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique |
| G0104 | HCPCS: Colorectal cancer screening; flexible sigmoidoscopy |
| FIT-DNA | |
| 81528 | CPT: Oncology (colorectal) screening, quantitative real- time target and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4 and BMP3) and fecal hemoglobin, utilizing stool, algorithm reported as a positive or negative result |
| | |

| CT Colo | nography |
|---------|--|
| 74261 | CPT: Computed tomographic (CT) colonography, diagnostic, including image postprocessing; without contrast material |
| 74262 | CPT: Computed tomographic (CT) colonography, diagnostic, including image postprocessing; with contrast material(s) including non-contrast images, if performed |
| 74263 | CPT: Computed tomographic (CT) colonography, screening, including image postprocessing |
| Colonos | scopy |
| G0105 | HCPCS: Colorectal cancer screening; colonoscopy on individual at high risk |
| G0121 | HCPCS: Colorectal cancer screening; colonoscopy on individual not meeting criteria for high risk |
| Lead Sc | reening in Children (LSC) |
| Lead Te | |

Transitions of Care: Medication Reconciliation Post Discharge (TRC)

83655

CPT: Lead

| 1111F | CPT II: Discharge medications reconciled with the current medication list in outpatient medical record |
|----------|--|
| IMMU | NIZATIONS |
| Vaccines | and Administration |
| G0008 | HCPCS: Administration of influenza virus vaccine |
| 90657 | CPT: Influenza virus vaccine, trivalent (IIV3), split virus, 0.25 mL dosage, for intramuscular use |
| 90660 | CPT: Influenza virus vaccine, trivalent, live (LAIV3), for intranasal use |
| 90662 | CPT: Influenza virus vaccine (IIV), split virus, preservative free, enhanced immunogenicity via increased antigen content, for intramuscular use |
| 90672 | CPT: Influenza virus vaccine, quadrivalent, live (LAIV4), for intranasal use |
| 90673 | CPT: Influenza virus vaccine, trivalent (RIV3), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use |
| 90674 | CPT: Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use |
| 90685 | CPT: Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.25 mL, for intramuscular use |
| 90686 | CPT: Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.5 mL dosage, for intramuscular use |
| 90687 | CPT: Influenza virus vaccine, quadrivalent (IIV4), split virus, 0.25 mL dosage, for intramuscular use |
| 90688 | CPT: Influenza virus vaccine, quadrivalent (IIV4), split virus, 0.5 mL dosage, for intramuscular use |
| G0009 | HCPCS: Administration of pneumococcal vaccine |

| 90670 | CPT: Pneumococcal conjugate vaccine, 13 valent (PCV13), for intramuscular use |
|----------|--|
| 90732 | CPT: Pneumococcal polysaccharide vaccine, 23-valent (PPSV23), adult or immunosuppressed patient dosage, when administered to individuals 2 years or older, for subcutaneous or intramuscular use |
| Childho | od Immunization Status Combo 10 (CIS) |
| DTAP | |
| 90698 | CPT: Diphtheria, tetanus toxoids, acellular pertussis vaccine, Haemophilus influenzae type b, and inactivated poliovirus vaccine, (DTaP-IPV/Hib), for intramuscular use |
| 90700 | CPT: Diphtheria, tetanus toxoids, and acellular pertussis vaccine (DTaP), when administered to individuals under 7 years, for intramuscular use |
| 90723 | CPT: Diphtheria, tetanus toxoids, acellular pertussis vaccine, hepatitis B, and inactivated poliovirus vaccine (DTaP-HepB-IPV), for intramuscular use |
| HiB | |
| 90644 | CPT: Meningococcal conjugate vaccine, serogroups C & Y and Haemophilus influenzae type b vaccine (Hib-MenCY), 4 dose schedule, when administered to children 6 weeks-18 months of age, for intramuscular use |
| 90647 | CPT: Haemophilus influenzae type b vaccine (HiB), PRP- OMP conjugate, 3 dose schedule, for intramuscular use |
| 90648 | CPT: Haemophilus influenzae type b vaccine (Hib), PRP-T conjugate, 4 dose schedule, for intramuscular use |
| 90748 | CPT: Hepatitis B and Haemophilus influenzae type b vaccine (Hib-HepB), for intramuscular use |
| НерА | • " |
| 90633 | CPT: Hepatitis A vaccine (HepA), pediatric/adolescent dosage-2 dose schedule, for intramuscular use |
| НерВ | |
| 90740 | CPT: Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 3 dose schedule, for intramuscular use |
| 90744 | CPT: Hepatitis B vaccine (HepB), pediatric/adolescent dosage, 3 dose schedule, for intramuscular use |
| 90747 | CPT: Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 4 dose schedule, for intramuscular use |
| IPV | |
| 90713 | CPT: Poliovirus vaccine, inactivated (IPV), for subcutaneous or intramuscular use |
| Influenz | |
| 90655 | CPT: Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, 0.25 mL dosage, for intramuscular use |
| 90685 | CPT: Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.25 mL, for intramuscular use |

| MMR | |
|--------|---|
| 90707 | CPT: Measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use |
| 90710 | CPT: Measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous use |
| PCV | |
| 90670 | CPT: Pneumococcal conjugate vaccine, 13 valent (PCV13), for intramuscular use |
| RV | |
| 90680 | CPT: Rotavirus vaccine, pentavalent (RV5), 3 dose schedule, live, for oral use |
| 90681 | CPT: Rotavirus vaccine, human, attenuated (RV1), 2 dose schedule, live, for oral use |
| VZV | |
| 90716 | CPT: Varicella virus vaccine (VAR), live, for subcutaneous use |
| Immuni | zation for Adolescents (IMA) |
| MCV | |
| 90734 | CPT: Meningococcal conjugate vaccine, serogroups A, C, W, Y, quadrivalent, diphtheria toxoid carrier (MenACWY-D) or CRM197 carrier (MenACWY-CRM), for intramuscular use |
| Tdap | <u>'</u> |
| 90715 | CPT: Tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), when administered to individuals 7 years or older, for intramuscular use |
| HPV | |
| 90649 | CPT: Human Papillomavirus vaccine, types 6, 11, 16, 18, quadrivalent (4vHPV), 3 dose schedule, for intramuscular use |
| 90650 | CPT: Human Papillomavirus vaccine, types 16, 18, bivalent (2vHPV), 3 dose schedule, for intramuscular use |
| 90651 | CPT: Human Papillomavirus vaccine types 6, 11, 16, 18, 31, 33, 45, 52, 58, nonavalent (9vHPV), 2 or 3 dose schedule, for intramuscular use |

PLEASE USE AMERICAN ACADEMY OF FAMILY PHYSICIAN (AAFP) SHORT FORM

Housing

Housing Screening (If "I have housing" - Screening complete)

LOINC: Housing status 71802-3

| Housing Positive Finding (Response to Housing Screening Question) | | | | |
|---|---|--|--|--|
| LA31995-6 | | LOINC: I do not have a steady place to live (I am temporarily staying with others, in a hotel, in a shelter, living outside on the street, on a beach, in a car, abandoned building, bus or train station, or in a park) | | |
| LA31994-9 | | LOINC: I have a place to live today, but I am worried about losing it in the future | | |
| Housing | Prob | lems (If "None of the above" Screening complete) | | |
| 96778-6 | | LOINC: Problems with place where you live | | |
| Housing | Prob | lems (For Positive Finding) | | |
| LA31996-4 | | LOINC: Pests such as bugs, ants, or mice | | |
| LA28580 | -1 | LOINC: Mold | | |
| LA31997 | -2 | LOINC: Lead paint or pipes | | |
| LA31998 | -0 | LOINC: Lack of heat | | |
| LA31999 | -8 | LOINC: Oven or stove not working | | |
| LA32000 | -4 | LOINC: Smoke detectors missing or not working | | |
| LA32001 | -2 | LOINC: Water leaks | | |
| Housing | Inter | vention (For Positive Finding) | | |
| 30844-0001 S | | SNOMED CT US Edition: Referral to social worker (procedure) | | |
| 1148447008 | | SNOMED CT US Edition: Assessment for housing insecurity (procedure) | | |
| 49919000 | | SNOMED CT US Edition: Home safety education (procedure) | | |
| 47113100- 0124107 | | SNOMED CT US Edition: Referral to area agency on aging (procedure) | | |
| Food | | | | |
| Food Sci | reenii | ng (If "Never true" screening complete) | | |
| LOINC: Within the past 12 months we worried | | IC: Within the past 12 months we worried whether our would run out before we got money to buy more [U.S. | | |
| 88123-5 | LOINC: Within the past 12 months the food we bought jus | | | |
| Food Po | sitive | Finding (Response to Food Screening Question) | | |
| LA28397-0 LOINC: Often true | | LOINC: Often true | | |
| LA6729-3 | | LOINC: Sometimes true | | |
| Food Int | erven | ition (For Positive Finding) | | |
| S9470 | | HCPCS: Nutritional counseling, dietitian visit | | |
| S5170 | | HCPCS: Home delivered meals, including preparation; per meal | | |
| | | | | |

| 308440001 | | SNOMED CT US Edition: Referral to social worker (procedure) |
|-----------------------|------------------------|---|
| 713109004 | | SNOMED CT US Edition: Referral to community meals service (procedure) |
| 464031000124101 | | SNOMED CT US Edition: Referral to food pantry program (procedure) |
| Transpo | rtation | |
| Transpo | rtation 9 | Screening (If "No" screening complete) |
| 99594-4 | | LOINC: Delayed medical care due to distance or lack of transportation |
| Transpo | rtation F | Positive Finding |
| LA33093 | 3-8 | LOINC: Yes, it has kept me from medical appointments or getting medications |
| LA30134-3 | | LOINC: Yes, it has kept me from non-medical meetings, appointments, work, or from getting things that I need |
| Transpo | rtation I | ntervention (For Positive Finding) |
| 308440001 | | SNOMED CT US Edition: Referral to social worker (procedure) |
| 61135100-0124105 | | SNOMED CT US Edition: Assessment for transportation insecurity (procedure) |
| 55135100 | 00124109 | SNOMED CT US Edition: Referral to paratransit program (procedure) |
| 55134100 | 00124107 | SNOMED CT US Edition: Referral to public transportation voucher program (procedure) |
| CHRO | NIC CO | ONDITIONS |
| Diabetes | s (CDC) | |
| R73.03 ICD 10: set) | | Prediabetes (for reference only; not in HEDIS value |
| Diabetio | Retinal | Exam |
| | CPT: O | ohthalmological services: medical examination |
| 92004 | | aluation with initiation of diagnostic and treatment n; comprehensive, new patient , 1 or more visits |
| 92004 92250 | progran | |
| | CPT: Fu | n; comprehensive, new patient , 1 or more visits |
| 92250 | CPT II: ophtha reviewe | n; comprehensive, new patient, 1 or more visits Indus photography with interpretation and report Dilated retinal eye exam with interpretation by Implogist or optometrist documented and |

| 2025F | CPT II: 7 standard field stereoscopic retinal photos with interpretation by ophthalmologist or optometrist documented and reviewed; without evidence of retinopathy (DM) |
|-------------------|---|
| 2026F | CPT II: Eye imaging validated to match diagnosis from 7 standard field stereoscopic retinal photos results documented and reviewed; with evidence of retinopathy (DM) |
| 2033F | CPT II: Eye imaging validated to match diagnosis from 7 standard field stereoscopic retinal photos results documented and reviewed; without evidence of retinopathy (DM) |
| S3000 | HCPCS: Diabetic indicator; retinal eye exam, dilated, bilateral |
| Other Ey | ve Exams |
| S0620 | HCPCS: Routine ophthalmological examination including refraction by ophthalmologist or optometrist ; new patient |
| S0621 | HCPCS: Routine ophthalmological examination including refraction by ophthalmologist or optometrist; established patient |
| 3072F | CPT II: Low risk for retinopathy (no evidence of retinopathy in the prior year) need prior year exam |
| HbA1c1 | est |
| 83036 | CPT: Hemoglobin; glycosylated (A1C) |
| 83037 | CPT: Hemoglobin; glycosylated (A1C) by device cleared by FDA for home use |
| 3044F | CPT II: Most recent hemoglobin A1c (HbA1c) level less than 7.0% |
| 3051F | CPT II: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less than 8.0% |
| 3052F | CPT II: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less than or equal to 9.0% |
| 3046F | CPT II: Most recent hemoglobin A1c level greater than 9.0% |
| Diabetes required | s Care - Kidney Health Evaluation (KED - both screenings) |
| 80047 | CPT: Basic metabolic panel (Calcium, ionized) This panel must include the following: Calcium, ionized (82330) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea Nitrogen (BUN) (84520) |
| 82043 | CPT: Albumin; urine (eg, microalbumin), quantitative |
| 82570 | CPT: Creatinine; urine; other source |
| Diabetic | Foot Exam (not a HEDIS measure, informational only) |
| 2028F | CPT II: Foot examination performed (includes examination through visual inspection, sensory exam with monofilament, and pulse exam - report when any of the 3 components are |

completed)

| G9226 | HCPCS: Foot examination performed (includes examination through visual inspection, sensory exam with 10-g monofilament plus testing any one of the following: vibration using 128-Hz tuning fork, pinprick sensation, ankle reflexes, or vibration perception threshold, and pulse exam; report when all of the 3 components are completed) |
|--|---|
| Osteopo | prosis Screening/Management in Women (OMW, OSW) |
| Bone D | ensity |
| 76977 | CPT: Ultrasound bone density measurement and interpretation, peripheral site |
| 77078 | CPT: Computed tomography, bone mineral density study, 1 or more sites, axial skeleton (eg, hips, pelvis, spine) |
| 77080 | CPT: Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine) |
| 77081 | CPT: Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; appendicular skeleton (peripheral) (eg, radius, wrist, heel) |
| 77085 | CPT: Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, |
| | pelvis, spine), including vertebral fracture assessment |
| 77086 | CPT: Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA) - OMW Only |
| | CPT: Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA) - OMW Only |
| | CPT: Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA) - OMW Only and Pospartum Visits (PPC) |
| Prenata | CPT: Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA) - OMW Only and Pospartum Visits (PPC) It Visits CPT: Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or |
| Prenata Prenata 59400 | CPT: Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA) - OMW Only and Pospartum Visits (PPC) Il Visits CPT: Routine obstetric care including antepartum care, |
| Prenata Prenata 59400 | CPT: Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA) - OMW Only I and Pospartum Visits (PPC) Il Visits CPT: Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care. Total OB care only. |
| Prenata Prenata 59400 59426 | CPT: Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA) - OMW Only and Pospartum Visits (PPC) Il Visits CPT: Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care. Total OB care only. CPT: Antepartum care only; 7 or more visits |
| Prenata Prenata 59400 59426 Postpar | CPT: Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA) - OMW Only and Pospartum Visits (PPC) Il Visits CPT: Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care. Total OB care only. CPT: Antepartum care only; 7 or more visits tumVisits |
| Prenata Prenata 59400 59426 Postpal 59430 59510 | CPT: Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA) - OMW Only I and Pospartum Visits (PPC) IVisits CPT: Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care. Total OB care only. CPT: Antepartum care only; 7 or more visits tumVisits CPT: Postpartum care only (separate procedure) CPT: Routine obstetric care including antepartum care, cesarean delivery, and postpartum care. Total OB care |
| Prenata Prenata 59400 59426 Postpal 59430 59510 | CPT: Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA) - OMW Only and Pospartum Visits (PPC) Visits CPT: Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care. Total OB care only. CPT: Antepartum care only; 7 or more visits tumVisits CPT: Postpartum care only (separate procedure) CPT: Routine obstetric care including antepartum care, cesarean delivery, and postpartum care. Total OB care only. |
| Prenata Prenata 59400 59426 Postpan 59430 59510 HIV Vira 3494F | CPT: Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA) - OMW Only and Pospartum Visits (PPC) Visits CPT: Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care. Total OB care only. CPT: Antepartum care only; 7 or more visits tumVisits CPT: Postpartum care only (separate procedure) CPT: Routine obstetric care including antepartum care, cesarean delivery, and postpartum care. Total OB care only. Load Suppression (VLS) |
| Prenata Prenata 59400 59426 Postpal 59430 59510 HIV Vira | CPT: Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA) - OMW Only and Pospartum Visits (PPC) Il Visits CPT: Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care. Total OB care only. CPT: Antepartum care only; 7 or more visits tumVisits CPT: Postpartum care only (separate procedure) CPT: Routine obstetric care including antepartum care, cesarean delivery, and postpartum care. Total OB care only. Load Suppression (VLS) CPT: CD4+ cell count <200 cells/mm3 (HIV) |
| Prenata Prenata 59400 59426 Postpai 59430 59510 HIV Vira 3494F 3496F 3497F | CPT: Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA) - OMW Only I and Pospartum Visits (PPC) I Visits CPT: Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care. Total OB care only. CPT: Antepartum care only; 7 or more visits tumVisits CPT: Postpartum care only (separate procedure) CPT: Routine obstetric care including antepartum care, cesarean delivery, and postpartum care. Total OB care only. Load Suppression (VLS) CPT: CD4+ cell count <200 cells/mm3 (HIV) CPT: CD4+ cell count => 500 cells/mm3 (HIV) |
| Prenata Prenata 59400 59426 Postpai 59430 59510 HIV Vira 3494F 3496F | CPT: Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA) - OMW Only I and Pospartum Visits (PPC) I Visits CPT: Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care. Total OB care only. CPT: Antepartum care only; 7 or more visits tumVisits CPT: Postpartum care only (separate procedure) CPT: Routine obstetric care including antepartum care, cesarean delivery, and postpartum care. Total OB care only. Load Suppression (VLS) CPT: CD4+ cell count <200 cells/mm3 (HIV) CPT: CD4+ cell count => 500 cells/mm3 (HIV) CPT: CD4+ cell percentage <15% (HIV) |

EMERGENCY ROOM FOLLOW UP VISIT Follow Up Visits: Follow-Up After Emergency Department Visit for People with Multiple High-Risk Chronic Conditions (FMC) CPT: Education and training for patient self-management by a qualified, nonphysician health care professional using a 98960 standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; individual patient **CPT:** Education and training for patient self-management by a qualified, nonphysician health care professional using a 98961 standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; 2-4 patients CPT: Education and training for patient self-management by a qualified, nonphysician health care professional using a 98962 standardized curriculum, face-to-face with the patient (could include caregiver/family) each 30 minutes; 5-8 patients Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or quardian not originating from a related assessment and management service provided 98966 within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or quardian not originating from a related assessment and management service provided 98967 within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion Telephone assessment and management service provided by a qualified nonphysician health care professional to an established patient, parent, or quardian not originating from a related assessment and management service provided 98968 within the previous 7 days nor leading to an assessment and management service or procedure within the next 24 hours or soonest available appointment: 21-30 minutes of medical discussion CPT: Physician or other qualified health care professional qualified by education, training, licensure/regulation (when 99078 applicable) educational services rendered to patients in a group setting (eg, prenatal, obesity, or diabetic instructions) CPT: Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically

appropriate history and/or examination and straightforward

medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or

99202

exceeded.

| 99203 | CPT: Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded. |
|-------|--|
| 99204 | CPT: Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded. |
| 99205 | CPT: Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded. |
| 99211 | CPT: Office or other outpatient visit for the evaluation and management of an established patient that may not require the presence of a physician or other qualified health care professional |
| 99212 | CPT: Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 10 minutes must be met or exceeded. |
| 99213 | CPT: Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded. |
| 99214 | CPT: Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded. |
| 99215 | CPT: Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded. |
| 99341 | CPT: Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded. |
| | |

| 99342 | CPT: Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded. |
|-------|---|
| 99344 | CPT: Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded. |
| 99345 | CPT: Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 75 minutes must be met or exceeded. |
| 99347 | CPT: Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded. |
| 99348 | CPT: Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded. |
| 99349 | CPT: Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and |

moderate level of medical decision making. When using total time on the date of the encounter for code selection,

level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must

Preventive medicine counseling and/or risk factor reduction

Preventive medicine counseling and/or risk factor reduction

intervention(s) provided to an individual (separate procedure);

intervention(s) provided to an individual (separate procedure);

CPT: Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high

40 minutes must be met or exceeded.

be met or exceeded.

approximately 15 minutes

approximately 30 minutes

99350

99401

99402

| 99403 | Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 45 minutes | |
|----------|--|--|
| 99404 | Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 60 minutes | |
| | approximately do minutes | |
| BEHA | VIORAL HEALTH | |
| Psychiat | tric Evaluation (ADD, IET, FUA, FUM) | |
| 90832 | Psychotherapy, 30 minutes with patient | |
| 90833 | Psychotherapy, 30 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure) | |
| 90834 | Psychotherapy, 45 minutes with patient | |
| 90836 | Psychotherapy, 45 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure) | |
| 90837 | Psychotherapy, 60 minutes with patient | |
| 90838 | Psychotherapy, 60 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure) | |
| 90791 | CPT: Psychiatric diagnostic evaluation | |
| 90792 | CPT: Psychiatric diagnostic evaluation with medical services | |
| | ce to Antipsychotic Medication for Individuals with nrenia (SAA) | |
| J0401 | HCPCS: Injection, aripiprazole, extended release, 1 mg | |
| J1631 | HCPCS: Injection, haloperidol decanoate, per 50 mg | |
| J1943 | HCPCS: Injection, aripiprazole lauroxil, (Aristada Initio), 1 mg | |
| J1944 | HCPCS: Injection, aripiprazole lauroxil, (Aristada), 1 mg | |
| J2358 | HCPCS: Injection, olanzapine, long-acting, 1 mg | |
| J2426 | HCPCS: Injection, paliperidone palmitate extended release, 1 mg | |
| J2680 | HCPCS: Injection, fluphenazine decanoate, up to 25 mg | |
| J2794 | HCPCS: Injection, risperidone, 0.5 mg | |
| J2798 | HCPCS: Injection, risperidone, (Perseris), 0.5 mg | |
| | Test (SSD only - Diabetes Screening for People With hrenia or Bipolar Disorder Who Are Using Antipsychotic ions) | |
| 80047 | CPT: Basic metabolic panel (Calcium, ionized) This panel must include the following: Calcium, ionized (82330) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) | |

Glucose (82947) Potassium (84132) Sodium (84295) Urea

Nitrogen (BUN) (84520)

| 80048 | CPT: Basic metabolic panel (Calcium, total) This panel must include the following: Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520) | |
|-------|--|--|
| 80050 | CPT: General health panel This panel must include the following: Comprehensive metabolic panel (80053) Blood count, complete (CBC), automated and automated differential WBC count (85025 or 85027 and 85004) OR Blood count, complete (CBC), automated (85027) and appropriate manual differential WBC count (85007 or 85009) Thyroid stimulating hormone (TSH) (84443) | |
| 80053 | CPT: Comprehensive metabolic panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline (84075) Potassium (84132) Protein, total (84155) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450) Urea nitrogen (BUN) (84520) | |
| 82947 | CPT: Glucose; quantitative, blood (except reagent strip) | |
| 82950 | CPT: Glucose; post glucose dose (includes glucose) | |
| 82951 | CPT: Glucose; tolerance test (GTT), 3 specimens (includes glucose) | |

